



AIR TOOL CATALOGUE



Introducing the Exclusive HIT Workshop Plan and Extended Gaurantee.

At **HIT** we've been supplying the best quality products, along with unbeatable service and backup, **since 1982**. Over the past 30 years we've paid dedicated attention to our customer's needs, and it is this that has made us one of the clear leaders in air tool supply.

It's the expertise that we have gained over time, along with on-going dedication to our highly valued customers, that makes us very happy to announce the following great innovations. Exclusive to **HIT** customers.



Introducing the first ever maintenance plan for air tools, now standard with every new tool you purchase from HIT. That's right, we'll service your new tool completely free of charge once during the first 6 months of operation (you must register!)



We've always been proud of the exceptionally high quality standards set by any tool which carries the **HIT** logo. And to show that our belief in quality is even stronger today, we are pleased to announce that the guarantee on all tools purchased from **HIT** has been extended from 3 months to a full 6 months, conditional on registration.

Terms and conditions apply.

ADAPTORS	18	HOSE CLAMPS	18
AIR DUSTERS	16	HOSETAIL CONNECTORS	18
ANGLE POLISHER	8	IMPACT WRENCHES	1-3
BARBS	19	LUBRICATORS	13
BEVELLING MACHINE	14 & 19	MINI OILER	16
BLOW GUNS	16	NAILERS	11
BODY SAW	7	NEEDLE DESCALERS	9-10
BUSHES	18	NITTO FITTINGS	17
CEJN FITTINGS	17	PRESSURE GAUGES	13
CHIPPERS & NEEDLE DESCALER	9-10	RATCHET WRENCHES	1 & 15
CLAW COUPLERS	18	RIVETERS	10
CONNECTORS	18	HEADLESS PINNER	15
COUPLERS	18	SANDERS ANGLED	7
DRILLS	4	SANDER BELT	7
ENGRAVING PEN	9	SANDERS DUAL ACTION	7
FILTERS	13	SANDER LONG BED	8
FRL UNITS	13	SANDER ORBITAL	7 & 15
GREASE GUN	16	SCREWDRIVERS	8-9
GRINDERS ANGLE	6	SPRAYGUN	9
GRINDERS DIE	5 & 15	STAPLERS	11-12
GRINDERS STRAIGHT	5	SPRING BALANCERS	16
GRINDER VERTICAL	6	THREAD FITTINGS	18



RATCHET WRENCHES

HIT 730 3/8" DRIVE MEDIUM DUTY

- CAPACITY (BOLT SIZE) 10 MM
- SPEED 150 RPM
- MAX. TORQUE 60 NM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 1.2 KG
- LENGTH 260 MM

HIT 740 1/2" DRIVE MEDIUM DUTY

- CAPACITY (BOLT SIZE) 13MM
- SPEED 150 PRM
- MAX. TORQUE 60 NM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 1.2 KG
- LENGTH 260 MM

IMPACT WRENCHES

HIT 835 3/8" DRIVE MEDIUM DUTY

- CAPACITY (BOLT SIZE) 9.5 MM
- SPEED 9000 RPM
- AIR CONSUMPTION 8.8 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 1.3 KG
- LENGTH 133MM
- MAX TORQUE 136NM

HIT 845 1/2" DRIVE MEDIUM DUTY

- CAPACITY (BOLT SIZE) 16 MM
- SPEED 7000 RPM
- MAX. TORQUE 305 NM
- AIR CONSUMPTION 8.8 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 2.3 KG
- LENGTH 187 MM

HIT 172P 1/2"DRIVE HEAVY DUTY

- CAPACITY (BOLT SIZE) 17 MM
- SPEED 8800 RPM
- MAX. TORQUE 390 NM
- AIR CONSUMPTION 8.8 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 2.48 KG
- LENGTH 195MM

HIT 703K 1/2" DRIVE HEAVY DUTY KIT

- CAPACITY (BOLT SIZE) 16 MM
- SPEED 7000 RPM
- MAX. TORQUE 305 NM
- AIR CONSUMPTION 8.8 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 2.3 KG
- LENGTH 187MM

IMPACT WRENCHES *continued*



- CAPACITY (BOLT SIZE) 19 MM
- SPEED 5300 RPM
- MAX. TORQUE 1125 NM
- AIR CONSUMPTION 16 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 3.5 KG
- LENGTH 254 MM

HIT 190P
3/4" DRIVE
HEAVY DUTY



- CAPACITY (BOLT SIZE) 19 MM
- SPEED 5900 RPM
- MAX. TORQUE 450 NM
- AIR CONSUMPTION 12.3 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 4.3 KG
- LENGTH 254 MM

HIT 865
3/4" DRIVE
MEDIUM DUTY



- CAPACITY (BOLT SIZE) 25MM
- SPEED 4360 PRM
- MAX. TORQUE 1525 NM
- AIR CONSUMPTION 14.1 CFM
- AIR INLET 3/8"
- HOSE SIZE 12 MM
- WEIGHT 7.15 KG
- LENGTH 390 MM

HIT 25S
3/4" DRIVE
HEAVY DUTY
 With 2" Anvil



- CAPACITY (BOLT SIZE) 25MM
- SPEED 4360 PRM
- MAX. TORQUE 1525 NM
- AIR CONSUMPTION 14.1 CFM
- AIR INLET 3/8"
- HOSE SIZE 12 MM
- WEIGHT 7.15 KG
- LENGTH 540 MM

HIT 25S-6
3/4" DRIVE
HEAVY DUTY
 With 6" Anvil




- CAPACITY (BOLT SIZE) 25MM
- SPEED 4360 PRM
- MAX. TORQUE 1525 NM
- AIR CONSUMPTION 14.1 CFM
- AIR INLET 3/8"
- HOSE SIZE 12 MM
- WEIGHT 7.15 KG
- LENGTH 260 MM

HIT 25P
3/4" DRIVE
HEAVY DUTY



- CAPACITY (BOLT SIZE) 32MM
- SPEED 4300 PRM
- MAX. TORQUE 2000 NM
- AIR CONSUMPTION 17.5 CFM
- AIR INLET 3/8"
- HOSE SIZE 12 MM
- WEIGHT 9.5 KG
- LENGTH 266 MM

HIT 322P
1" DRIVE



DISCONTINUED

IMPACT WRENCHES *continued*



HIT 322SA
1" DRIVE
 With 2" Anvil

- CAPACITY (BOLT SIZE) 32MM
- SPEED 4400 PRM
- MAX. TORQUE 2100 NM
- AIR CONSUMPTION 17 CFM
- AIR INLET 1/2"
- HOSE SIZE 1/2"
- WEIGHT 11 KG
- LENGTH 356 MM

HIT 322SA-6
1" DRIVE
 With 6" Anvil

- CAPACITY (BOLT SIZE) 32MM
- SPEED 4400 PRM
- MAX. TORQUE 2100 NM
- AIR CONSUMPTION 17 CFM
- AIR INLET 1/2"
- HOSE SIZE 1/2"
- WEIGHT 11 KG
- LENGTH 530 MM

HIT 381P
1" DRIVE
HEAVY DUTY

- CAPACITY (BOLT SIZE) 38 MM
- SPEED 4500 RPM
- MAX. TORQUE 2500 NM
- AIR CONSUMPTION 18 CFM
- AIR INLET 3/8"
- HOSE SIZE 1/2"
- WEIGHT 10.3 KG
- LENGTH 266 MM

HIT 381SA
1" DRIVE
HEAVY DUTY
 With 2" Anvil

- CAPACITY (BOLT SIZE) 38 MM
- SPEED 4500 RPM
- MAX. TORQUE 2500 NM
- AIR CONSUMPTION 18 CFM
- AIR INLET 1/2"
- HOSE SIZE 1/2"
- WEIGHT 11.8 KG
- LENGTH 356 MM

HIT 381SA-6
1" DRIVE
HEAVY DUTY
 With 6" Anvil

- CAPACITY (BOLT SIZE) 38 MM
- SPEED 4500 RPM
- MAX. TORQUE 2500 NM
- AIR CONSUMPTION 18 CFM
- AIR INLET 1/2"
- HOSE SIZE 1/2"
- WEIGHT 11.8 KG
- LENGTH 530 MM

HIT 551S
1.1/2" DRIVE

- CAPACITY (BOLT SIZE) 55 MM
- SPEED 3600 RPM
- MAX. TORQUE 4312 NM
- AIR CONSUMPTION 20 CFM
- AIR INLET 1/2"
- HOSE SIZE 3/4"
- WEIGHT 17.8 KG
- LENGTH 520 MM

DRILLS



HIT 2-840
3/8" CHUCK
MEDIUM DUTY



HIT 10-D
3/8" CHUCK
HEAVY DUTY



HIT SR10
3/8" CHUCK
REVERSIBLE



HIT 2-836
1/2" CHUCK
MEDIUM DUTY



HIT 666
1/2" CHUCK
HEAVY DUTY



HIT SR13
1/2" CHUCK
REVERSIBLE

- FREE SPEED 2100 RPM
- CAPACITY 10 MM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 0.89 KG
- LENGTH 185 MM

- FREE SPEED 2000 RPM
- CAPACITY 10 MM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 1.10 KG
- LENGTH 200 MM

- FREE SPEED 1800 RPM
- CAPACITY 10 MM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 1.40 KG
- LENGTH 175 MM

- FREE SPEED 500 RPM
- CAPACITY 13 MM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8"
- WEIGHT 1.18 KG
- LENGTH 220 MM

- FREE SPEED 500 RPM
- CAPACITY 13 MM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8"ID
- WEIGHT 1.60 KG
- LENGTH 220 MM

- FREE SPEED 800 RPM
- CAPACITY 13 MM
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8"ID
- WEIGHT 2 KG
- LENGTH 190 MM



DIE GRINDERS



**HIT 521
6MM COLLET
MEDIUM DUTY**

<input type="checkbox"/>	FREE SPEED	23000 RPM
<input type="checkbox"/>	COLLET SIZE	6 MM
<input type="checkbox"/>	AIR CONSUMPTION	10 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	0.6 KG
<input type="checkbox"/>	LENGTH	144 MM



**HIT NG45
6MM COLLET
HEAVY DUTY**

<input type="checkbox"/>	FREE SPEED	20000 RPM
<input type="checkbox"/>	COLLET SIZE	6 MM
<input type="checkbox"/>	AIR CONSUMPTION	14 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	0.8 KG
<input type="checkbox"/>	LENGTH	165 MM



**HIT NG65
6MM COLLET
HEAVY DUTY**

<input type="checkbox"/>	FREE SPEED	16000 RPM
<input type="checkbox"/>	COLLET SIZE	6 MM
<input type="checkbox"/>	AIR CONSUMPTION	16 CFM
<input type="checkbox"/>	AIR INLET	3/8" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	1.15 KG
<input type="checkbox"/>	LENGTH	305 MM



**HIT NG65L
6MM COLLET
HEAVY DUTY**

<input type="checkbox"/>	FREE SPEED	16000 RPM
<input type="checkbox"/>	CAPACITY	6 MM
<input type="checkbox"/>	AIR CONSUMPTION	16 CFM
<input type="checkbox"/>	AIR INLET	3/8" NPT
<input type="checkbox"/>	HOSE SIZE	1/2" ID
<input type="checkbox"/>	WEIGHT	1.30 KG
<input type="checkbox"/>	LENGTH	370 MM



**HIT NG150
6" HEAVY
DUTY**

<input type="checkbox"/>	FREE SPEED	6300 RPM
<input type="checkbox"/>	CAPACITY	150X25X16MM
<input type="checkbox"/>	SPINDLE SIZE	5/8" BSW
<input type="checkbox"/>	AIR CONSUMPTION	40 CFM
<input type="checkbox"/>	AIR INLET	3/8" NPT
<input type="checkbox"/>	HOSE SIZE	1/2" ID
<input type="checkbox"/>	WEIGHT	4.70 KG
<input type="checkbox"/>	LENGTH	445 MM

ANGLE GRINDERS



<input type="checkbox"/>	FREE SPEED	11000 RPM
<input type="checkbox"/>	CAPACITY	100 X 6 X 16 MM
<input type="checkbox"/>	AIR CONSUMPTION	6 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	1.9 KG
<input type="checkbox"/>	LENGTH	235 MM

HIT 2-914
4"
MEDIUM DUTY



<input type="checkbox"/>	FREE SPEED	12000 RPM
<input type="checkbox"/>	CAPACITY	100 X 6 X 16 MM
<input type="checkbox"/>	AIR CONSUMPTION	14.8 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	2.05 KG
<input type="checkbox"/>	LENGTH	300 MM

HIT BG4A
4"
HEAVY DUTY



<input type="checkbox"/>	FREE SPEED	11000 RPM
<input type="checkbox"/>	CAPACITY	125 X 6 X 20MM
<input type="checkbox"/>	AIR CONSUMPTION	6 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	1.90 KG
<input type="checkbox"/>	LENGTH	235 MM

HIT 2-915
5"
MEDIUM DUTY



<input type="checkbox"/>	FREE SPEED	7000 RPM
<input type="checkbox"/>	CAPACITY	180 X 6 X 22 MM
<input type="checkbox"/>	AIR CONSUMPTION	24 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	3.3 KG
<input type="checkbox"/>	LENGTH	235 MM

HIT 2-831
7"
MEDIUM DUTY



<input type="checkbox"/>	FREE SPEED	7600 RPM
<input type="checkbox"/>	CAPACITY	180 X 6 X 22 MM
<input type="checkbox"/>	AIR CONSUMPTION	21.1 CFM
<input type="checkbox"/>	AIR INLET	3/8" NPT
<input type="checkbox"/>	HOSE SIZE	1/2" ID
<input type="checkbox"/>	WEIGHT	3.8 KG
<input type="checkbox"/>	LENGTH	360 MM

HIT BG7A
7"
HEAVY DUTY



VERTICAL GRINDER

<input type="checkbox"/>	FREE SPEED	5800 RPM
<input type="checkbox"/>	CAPACITY	230 X 6 X 22 MM
<input type="checkbox"/>	AIR CONSUMPTION	51 CFM
<input type="checkbox"/>	AIR INLET	1/2" BSP
<input type="checkbox"/>	WEIGHT	5.0 KG
<input type="checkbox"/>	LENGTH	305 MM

HIT 9V
9"





BODY SAW




HIT BS 200

DISCONTINUED

<input type="checkbox"/>	CAPACITY	1.6 - 3.0MM
<input type="checkbox"/>	STROKES PER MIN.	5000 SPM
<input type="checkbox"/>	STROKE LENGTH	10MM
<input type="checkbox"/>	WORKING PRESSURE	90 PSI
<input type="checkbox"/>	AIR CONSUMPTION	4 CFM
<input type="checkbox"/>	AIR INLET	1/4"
<input type="checkbox"/>	WEIGHT	0.85KG

BELT SANDER



**HIT BS 100
20 MM**

<input type="checkbox"/>	FREE SPEED	12000 RPM
<input type="checkbox"/>	BELT SIZE	20 X 520 MM
<input type="checkbox"/>	AIR CONSUMPTION	10 CFM
<input type="checkbox"/>	AIR INLET	3/8" NPT
<input type="checkbox"/>	WEIGHT	2.20 KG
<input type="checkbox"/>	LENGTH	490 MM


DUAL ACTION SANDER



**HIT 260N
HEAVY DUTY**

<input type="checkbox"/>	FREE SPEED	10000 RPM
<input type="checkbox"/>	AIR CONSUMPTION	10 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	PAD SIZE	150MM
<input type="checkbox"/>	WEIGHT	2.15 KG
<input type="checkbox"/>	LENGTH	200 MM

ORBITAL SANDERS



HIT 803

<input type="checkbox"/>	FREE SPEED	7000 RPM
<input type="checkbox"/>	PAD SIZE	93 X 176MM
<input type="checkbox"/>	AIR CONSUMPTION	10 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	1.80 KG
<input type="checkbox"/>	LENGTH	176 MM

ANGLE SANDER



**HIT 670G
7"**

<input type="checkbox"/>	FREE SPEED	4000 RPM
<input type="checkbox"/>	PAD SIZE	180 MM
<input type="checkbox"/>	AIR CONSUMPTION	20 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	2.5 KG

LONG BED SANDER



<input type="checkbox"/>	FREE SPEED	3000 RPM
<input type="checkbox"/>	PAD SIZE	440 X 70 MM
<input type="checkbox"/>	AIR CONSUMPTION	7 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	WEIGHT	2.5 KG

HIT 2-845A



ANGLE POLISHER

<input type="checkbox"/>	FREE SPEED	2300 RPM
<input type="checkbox"/>	PAD SIZE	180 MM
<input type="checkbox"/>	AIR CONSUMPTION	20 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	2.5 KG


**HIT 670P
7"**



SCREWDRIVERS

<input type="checkbox"/>	TORQUE	1-3 NM
<input type="checkbox"/>	FREE SPEED	1500 RPM
<input type="checkbox"/>	CAPACITY (SCREW)	4 MM
<input type="checkbox"/>	AIR CONSUMPTION	7 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	0.71 KG
<input type="checkbox"/>	LENGTH	210 MM

**HIT 2-861T
4MM SCREW CAPACITY
STRAIGHT**



<input type="checkbox"/>	TORQUE	4.9 - 15 NM
<input type="checkbox"/>	FREE SPEED	1800 RPM
<input type="checkbox"/>	CAPACITY (SCREW)	6 MM
<input type="checkbox"/>	AIR CONSUMPTION	6 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	1.2 KG
<input type="checkbox"/>	LENGTH	205 MM

**HIT 2-862T
6MM SCREW CAPACITY**



<input type="checkbox"/>	TORQUE	4.9 - 16 NM
<input type="checkbox"/>	FREE SPEED	800 RPM
<input type="checkbox"/>	CAPACITY (SCREW)	8 MM
<input type="checkbox"/>	AIR CONSUMPTION	8 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	WEIGHT	1.2 KG
<input type="checkbox"/>	LENGTH	210 MM

**HIT 2-863T
8MM SCREW CAPACITY**





SCREWDRIVERS *continued*

HIT 6PBN 6 MM CAP HEAVY DUTY



<input type="checkbox"/>	TORQUE	4.9 - 15 NM
<input type="checkbox"/>	FREE SPEED	1100 RPM
<input type="checkbox"/>	CAPACITY	6 MM
<input type="checkbox"/>	AIR CONSUMPTION	4 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	WEIGHT	1.50 KG
<input type="checkbox"/>	LENGTH	210 MM

SPRAYGUN

HIT 2-875 HI PRESSURE




<input type="checkbox"/>	AIR PRESSURE	70 PSI
<input type="checkbox"/>	AIR CONSUMPTION	8 - 12 CFM
<input type="checkbox"/>	COMPRESSION REQ.	1.1/2" HP
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	NOSE TIP	1.8 CFM

ENGRAVING PEN

HIT 580


Used for engraving on hard steel, metal, glass, ceramics & plastics



<input type="checkbox"/>	BLOWS	50 000 PM
<input type="checkbox"/>	AIR CONSUMPTION	4 CFM


CHIPPERS & NEEDLE DESCALERS

HIT 0318N FLUX CHIPPER with chisel



<input type="checkbox"/>	BLOWS	4000 PM
<input type="checkbox"/>	BORE	25 MM
<input type="checkbox"/>	STROKE	22 MM
<input type="checkbox"/>	AIR CONSUMPTION	8 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	1.7 KG
<input type="checkbox"/>	OVERALL LENGTH	232 MM

HIT 0315C CHIPPER / NEEDLE DESCALER with needles & chisel



<input type="checkbox"/>	BLOWS	4000 PM
<input type="checkbox"/>	BORE	25 MM
<input type="checkbox"/>	STROKE	22 MM
<input type="checkbox"/>	AIR CONSUMPTION	8 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	1.7 KG
<input type="checkbox"/>	OVERALL LENGTH	232 MM
•	NEEDLES	19

CHIPPERS & NEEDLE DESCALERS *continued*



- BLOWS 4000 PM
- BORE 20 MM
- STROKE 12 MM
- AIR CONSUMPTION 8.8 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 2.6 KG
- OVERALL LENGTH 395 MM
- NEEDLES 13

HIT FP20N CHIPPER / NEEDLE DESCALER

with needles & chisel



- PISTON DIAMETER 28.6 MM
- STROKE 39.0 MM
- AIR CONSUMPTION 8 CFM
- NEEDLE USED 28
- WEIGHT 4.5 KG
- OVERALL LENGTH 465 MM
- NEEDLES 28

HIT 0319 EXTRA HEAVY DUTY NEEDLE DESCALER



RIVETERS

- CAPACITY RIVETS 2.4, 3.2, 4.0, 4.8MM
ALUMINIUM
- AIR PRESSURE 90 PSI
- AIR CONSUMPTION 4 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 1.37 KG

HIT 2-843 LIGHT DUTY



- CAPACITY RIVETS 2.4, 3.2, 4.0, 4.8MM
STAINLESS
- AIR PRESSURE 90 PSI
- AIR CONSUMPTION 5 CFM
- AIR INLET 1/4" NPT
- HOSE SIZE 3/8" ID
- WEIGHT 1.8 KG

HIT AR600M HEAVY DUTY





NAILERS

HIT 30F BRAD NAILER



- CAPACITY
- HEIGHT
- WEIGHT
- LENGTH
- WIDTH

15 - 30MM
180MM
1.15KG
240MM
50MM

NAILS

- GAUGE 18
- WIDTH 1.25MM
- THICK 1.00MM

NAILS		
PART NO.	SIZE	
F10	10MM (PER 5000)	
F15	15MM (PER 5000)	
F20	20MM (PER 5000)	
F25	25MM (PER 5000)	
F30	30MM (PER 5000)	

HIT G50T BRAD NAILER



- CAPACITY
- HEIGHT
- WEIGHT
- LENGTH
- WIDTH

20 - 50MM
180MM
2.30KG
300MM
70MM

NAILS

- GAUGE 16
- WIDTH 1.60MM
- THICK 1.40MM

NAILS		
PART NO.	SIZE	
T20	20MM (PER 5000)	
T25	25MM (PER 2500)	
T32	32MM (PER 2500)	
T38	38MM (PER 2500)	
T45	45MM (PER 2500)	
T50	50MM (PER 2500)	

STAPLERS

HIT G700 WIRE STAPLER



- CAPACITY
- HEIGHT
- WEIGHT
- LENGTH
- WIDTH

6 - 14MM
147MM
0.96KG
240MM
42MM

STAPLES

- GAUGE 22
- CROWN 8.7MM
- WIDTH 0.75MM
- THICK 0.55MM

STAPLES					
PART NO.	7/06	7/08	7/10	7/12	7/14
	6MM	8MM	10MM	12MM	14MM
SIZE	(PER 1900)	(PER 16000)	(PER 12500)	(PER 9500)	(PER 9500)

WIRE STAPLERS cont...



HIT G800 FINE WIRE STAPLER

STAPLES






GAUGE	22
CROWN	8.7MM
WIDTH	0.75MM
THICK	0.55MM



CAPACITY	6 - 14MM
HEIGHT	147MM
WEIGHT	0.96KG
LENGTH	240MM
WIDTH	42MM



STAPLES

PART NO.	8/06	8/08	8/10	8/12	8/14
	6MM	8MM	10MM	12MM	14MM
SIZE					
	(PER 20000)	(PER 14000)	(PER 12000)	(PER 10000)	(PER 8000)


HIT G55 HEAVY WIRE STAPLER

STAPLES





GAUGE	16
CROWN	11.1
WIDTH	1.60MM
THICK	1.40MM



CAPACITY	32 - 50MM
STAPLE CROWN	11.1MM
HEIGHT	290MM
WEIGHT	2.7KG
LENGTH	385MM
WIDTH	110MM



STAPLES

PART NO.	SIZE	
55/32	32MM (PER 7600)	
55/38	38MM (PER 5000)	
55/45	45MM (PER 5000)	
55/50	50MM (PER 5000)	

HIT G44 MEDIUM WIRE

STAPLES





GAUGE	18
CROWN	5.8
WIDTH	1.25MM
THICK	1.00MM



CAPACITY	19 - 38MM
HEIGHT	200MM
WEIGHT	1.93KG
LENGTH	265MM
WIDTH	65MM



STAPLES

PART NO.	SIZE	
N44/19	19MM	
N44/25	25MM	
N44/32	32MM	
N44/38	38MM	



F / R / L UNITS



3/8" 1/2" 3/4" 1"

LUBRICATORS



3/8" 1/2" 3/4" 1"

FILTERS - AUTO DRAIN



3/8" 1/2" 3/4" 1"

REGULATORS

3/8" 1/2" 3/4" 1"

PRESSURE GAUGES



0 - 1000 KPA

NEW! NEW! NEW! NEW! NEW! NEW!



**HIT TRI CUT TR3
PORTABLE PIPE BEVELING MACHINE**



FEATURES:

- BEVEL, FACE AND COUNTERBORE BOILER PIPES IN ONE OPERATION
- CAPACITY - 12MM TO 75MM I.D PIPES
- TORQUE ACCEPTING
- REPEATABLE ACCURACY OF 0.0025MM
- LIGHTWEIGHT - ONLY 4.6KG
- LOCALLY MANUFACTURED HEAD ASSEMBLY

MANDREL SIZES	
MODEL	FOR I.D PIPES
TR3/1	12-18MM
TR3/2	18-21MM
TR3/3	20-29MM
TR3/4	28-44MM
TR3/5	41-51MM
TR3/6	51-75MM

SPECIFICATIONS:

- AIR MOTOR FREE SPEED 325RPM
- AIR MOTOR HP 0.09HP
- HEAD WIDTH 54MM
- OVERALL HEAD LENGTH 195MM
- WEIGHT 4.6 KG
- OVERALL LENGTH 360 MM



HIT 720
3/8"
MINI RATCHET
/ SCREWDRIVER

<input type="checkbox"/>	SPEED	260 RPM
<input type="checkbox"/>	MAX. TORQUE	27 NM
<input type="checkbox"/>	AIR CONSUMPTION	3 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	0.4 KG
<input type="checkbox"/>	LENGTH	120 MM
<input type="checkbox"/>	EXHAUST	REAR



HIT 549W
1/4"
ANGLE DIE GRINDER

<input type="checkbox"/>	SPEED	20000 RPM
<input type="checkbox"/>	AIR CONSUMPTION	9 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	0.62 KG
<input type="checkbox"/>	LENGTH	174 MM
<input type="checkbox"/>	EXHAUST	REAR



HIT 448H
6"
ORBITAL SANDER
WITH VACUUM
ATTACHED

<input type="checkbox"/>	SPEED	10000 RPM
<input type="checkbox"/>	AIR CONSUMPTION	7 CFM
<input type="checkbox"/>	AIR INLET	1/4" NPT
<input type="checkbox"/>	HOSE SIZE	3/8" ID
<input type="checkbox"/>	WEIGHT	0.8 KG
<input type="checkbox"/>	LENGTH	120 MM
<input type="checkbox"/>	EXHAUST	REAR



HIT P630
HEADLESS PINNER

<input type="checkbox"/>	CAPACITY	15-30MM
<input type="checkbox"/>	HEIGHT	185MM
<input type="checkbox"/>	WEIGHT	1.18 KG
<input type="checkbox"/>	LENGTH	220 MM
<input type="checkbox"/>	GAUGE	23

SPRING BALANCERS



MODEL	CAPACITY - RANGE	CABLE LENGTH
G-370	0.6 - 1.5 KG	1.6M
G-371	1.5 - 3.0 KG	1.5M
G-373	3.0 - 5.0 KG	1.3M




GREASE GUN

HIT GP-0845 GREASE GUN

LOADS 3 WAY STANDARD 14 OZ
CARTRIDGE

CAPACITY : 400cc

DELIVERY : 1,200 - 6,000 PSI



AIR DUSTERS / BLOW GUN



**MINI OILER
2-016**



**AIR DUSTER
(LONG NOSE)
2-GD10-3**



**REGULATOR
2-014**









**AIR DUSTER
2-1066**









**AIR DUSTER
2-GD10**
















**AIR BLOW GUN
2-GD11**

MACHINE	NIPPLES	COUPLERS	AIR HOSE	NIPPLE	COUPLERS
					
Nitto Fittings	Male Thread Nipple	Hosetail Couplers	SIZES 1/4" 3/8" 1/2" ALSO AVAILABLE 3/4" 1"	Hosetail Nipple	Female Thread Coupler
	20PM 1/4" 30PM 3/8" 40PM 1/2"	20SH 1/4" 30SH 3/8" 40SH 1/2"		20PH 1/4" 30PH 3/8" 40PH 1/2"	20SF 1/4" 30SF 3/8" 40SF 1/2"
	Female Thread Connector				Male Thread Coupler
	20PF 1/4" 30PF 3/8" 40PF 1/2"				20SM 1/4" 30SM 3/8" 40SM 1/2"



MACHINE	NIPPLES	COUPLERS	AIR HOSE	NIPPLE	COUPLERS
					
Brass Cejn Fittings	Cejn Male Thread Nipple	Cejn Hosetail Couplers	SIZES 1/4" 3/8" 1/2" ALSO AVAILABLE 3/4" 1"	Cejn Hosetail Nipple	Cejn Male Thread Coupler
	3204B 1/4" 3204D 3/8" 3204F 1/2"	320B2B 1/4" 320B2C 5/16" 320B2D 3/8" 320B2F 1/2"		3201B 1/4" 3201C5/16" 3201D 3/8" 3201F 1/2"	320B4B 1/4" 320B4D 3/8" 320B4F 1/2"
	Cejn Female Thread Connector				Cejn Female Thread Coupler
	3203B 1/4" 3203D 3/8" 3203F 1/2"				320B3B 1/4" 320B3D 3/8" 320B3F 1/2"

PART NO.	SIZE	DESCRIPTION			
210	1/4"	COUPLER ARO STYLE			
2608		MALE THREAD NIPPLE			
2609		FEMALE THREAD NIPPLE			
3946		HOSETAIL NIPPLE			
3947				5/16"	
3948				3/8"	
HCC2001	1/2"	CLAW COUPLER - HOSETAIL			
HCC2002	3/4"				
HCC2003	1"				
FCC0001	1/2"	CLAW COUPLER - FEMALE			
FCC0002	3/4"				
FCC0003	1"				
MCC1001	1/2"	CLAW COUPLER - MALE			
MCC1002	3/4"				
MCC1003	1"				
		GROMMETS - SPARE			
5001	1/2"	HOSE CLAMPS - HEAVY DUTY			
5002	3/4"				
5003	1"				
C3	1/4 - 1/4"	CONNECTORS - MALE			
C4	3/8 - 1/4"				
C5	1/2 - 1/4"				
C6	3/8 - 3/8"				
C7	1/2 - 3/8"				
C8	1/2 - 1/2"				
C9	3/4 - 3/4"				
C10	1 - 1"				
A2	1/4" MALE - 3/8" FEMALE			ADAPTORS	
A3	3/8" MALE - 1/2" FEMALE				
B1	3/8" MALE - 1/4" FEMALE	BUSHES			
B2	1/2" MALE - 1/4" FEMALE				
B3	1/2" MALE - 3/8" FEMALE				
B4	1" MALE - 1/2" FEMALE				

DESCRIPTION	PART NO.	SIZE				
 MALE BARBS	MB3	1/4"	MALE	TO	1/4"	HOSETAIL
	MB4				5/16"	
	MB5				3/8"	
	MB6				1/2"	
	MB7	3/8"			1/4"	
	MB8				3/8"	
	MB9				1/2"	
	MB10	1/2"			3/8"	
	MB11				1/4"	
	 FEMALE BARBS	FB1			1/4"	
FB1A		5/16"				
FB2		3/8"				
FB3		3/8"				
 DOUBLE BARBS	DB1	1/4"	HOSETAIL	TO	1/4"	HOSETAIL
	DB2	5/16"			5/16"	
	DB3	3/8"			3/8"	
	DB4	1/2"			1/2"	



HIT TR2 HIGH SPEED PIPE BEVELLING MACHINE IN STURDY CASE

KIT CONSISTS OF :

- MACHINE
- 3 HEADS (FOR 50, 60 & 65MM O.D PIPE)
- 4 GUIDES (FOR 20, 30, 40 & 50MM I.D PIPE)
- SPANNERS
- WRENCHES
- AND 10 FREE CUTTERS

- MACHINE FREE SPEED : 7600 RPM
- AIR CONSUMPTION : 21 CFM
- AIR INLET : 3/8" NPT
- HOSE SIZE : 1/2" ID
- WEIGHT : 3.8KG
- LENGTH : 360MM

ADAPTORS	18	HOSE CLAMPS	18
AIR DUSTERS	16	HOSETAIL CONNECTORS	18
ANGLE POLISHER	8	IMPACT WRENCHES	1-3
BARBS	19	LUBRICATORS	13
BEVELLING MACHINE	14 & 19	MINI OILER	16
BLOW GUNS	16	NAILERS	11
BODY SAW	7	NEEDLE DESCALERS	9-10
BUSHES	18	NITTO FITTINGS	17
CEJN FITTINGS	17	PRESSURE GAUGES	13
CHIPPERS & NEEDLE DESCALER	9-10	RATCHET WRENCHES	1 & 15
CLAW COUPLERS	18	RIVETERS	10
CONNECTORS	18	HEADLESS PINNER	15
COUPLERS	18	SANDERS ANGLED	7
DRILLS	4	SANDER BELT	7
ENGRAVING PEN	9	SANDERS DUAL ACTION	7
FILTERS	13	SANDER LONG BED	8
FRL UNITS	13	SANDER ORBITAL	7 & 15
GREASE GUN	16	SCREWDRIVERS	8-9
GRINDERS ANGLE	6	SPRAYGUN	9
GRINDERS DIE	5 & 15	STAPLERS	11-12
GRINDERS STRAIGHT	5	SPRING BALANCERS	16
GRINDER VERTICAL	6	THREAD FITTINGS	18

HOWSON INDUSTRIAL TOOLS C.C.



TEL : +27 (011) 807-4849
FAX : +27 (011) 807-5336
EMAIL : info@hitools.co.za

74 BEVAN ROAD
(Cor BENTLEY LANE)
RIVONIA
2128

P.O. BOX 550
RIVONIA
2128
SOUTH AFRICA